



# PE Plastic Processed Geomembrane and Geotextile Production Line with WEG/SIEMENS Motor

#### **Basic Information**

Place of Origin: Shandong, ChinaBrand Name: Changyue

• Price: \$200,000.00/sets >=1 sets

Packaging Details: Export Film Packing / According To

Customer

• Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated ( >

1 Pieces)



#### **Product Specification**

• Condition: New

Plastic Processed: PE, HDPEApplication: Sheet

• Screw Design: Double-screw

• Twin Screw Type: Co-rotating Parallel Twin-screw

• Screw Material: 38CrMoALA

Screw Diameter (mm): 65Screw L/D Ratio: 22:1Screw Speed (rpm): 90 Rpm

• Showroom Location: Egypt, Canada, Turkey, Italy, France,

Germany, Viet Nam, Philippines, Brazil, Peru, Saudi Arabia, Indonesia, Pakistan, India, Mexico, Russia, Thailand, South Korea, Algeria, Romania, Nigeria, Tajikistan, Japan, Australia

380V/220V/440V



#### More Images

Dimension/L\*\A/\*LI\.

Voltage:









#### Company Profile



Qingdao Changyue Plastic Machinery Co.,Ltd is a professional plastic extrusion machine manufacturer located in Qingdao city - a beautiful seaside city. We are using the advanced technology. Our products include plastic pipe machine, plastic profile machine, plastic sheet machines, plastic board machines, PP PET strap band machine, Geostrap band machine and so on.

Our machines have been exported to more than 30 countries include Canada, USA, Russia, Bulgaria, Turkey, India, Kuwait, Saudi arab, Nepal, Sri Lanka, Israel, Nigeria, Rawanda, Indonesia, Vietnam, Thailand, etc.

#### production introduction

#### Geomembrane sheet Production Line

Geomembrane with impermeable plastic film as a substrate, and non-woven geotextile composite made of impermeable material, its

performance depends on impervious impermeable plastic film performance. At present, the application of impermeable plastic film at home and abroad, mainly polyvinyl chloride (PVC) and polyethylene (PE), EVA (ethylene / vinyl acetate copolymer), also designed to

use the tunnel applications ECB (ethylene-vinyl-modified bitumen blend geomembrane), which is a flexible material polymer chemistry, the proportion of small, strong extension, the ability to adapt to high deformation, corrosion resistance, low temperature, frost performance.



Details Images







## Customer Photos



Certifications

















## Why Choose Us

- 1. Good quality: we cooperate with ABB, Schneide, Siemens, Delta, TBI, Phase servo motor and other world famus brand to keep machine running smoothly.
- 2. Strict quality control We own professional quality management and process inspecion team.
- 3. Great sales: we have a perfect sales team to give you suggestions and help you choose suitbale machine.
- 4. Perfect after sales support : we have professional technicians who have much experience on extrusion technology.







## Cingdao Changyue Plastic Machinery Co., Ltd.

0086 13705428176

edward@hualideplast.com

plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QIGNDAO, CHINA