



600mm-3000mm HDPE Sheet Extrusion Line Geo Cell Plastic Sheet Extrusion Machine

Basic Information

Place of Origin: Shandong, ChinaBrand Name: Changyue

Certification: CE, ISO9001:2008

Packaging Details: Export Film Packing / According To

Customer



Product Specification

Model NO.: SJ 120
Board Layers: Single Plate
Screw No.: Single-screw
Automation: Automatic
Computerized: Computerized
Customized: Customized
Condition: New

Sheet Width: 600-3000 MmSheet Thickness: 1-5 Mm

• Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated (>

1 Pieces)

• Loading Port: Qingdao Port

• Machine Installation Power: 180 Kw

Transport Package: Export Film Packing / According To

Customer

Onneitheathan 4000 Mar Wilde



More Images









Product Description

HDPE Sheet Extrusion Production Line for Geo-Cell Plastic Sheet Production Machine

Product Description

HDPE sheet extrusion production line used for Geocell PP sheet / board extrusion production line PP/PE/ABS Sheet/Board Production Line PP thermo forming sheet production line Geocell sheet production line

PE sheet production line for geocell

HDPE Plastic Geocell Making Machine/Geo-Cell Plastic Sheet/HDPE Geocell Production Line

Geo-Cell Plastic Sheet, HDPE Geocell Production Line, Geocell Waterproof Extruder Machine

1). Geocell introduction:

Geocell Production Line is used to produce plastic geocell, which is a kind of geo-product with alveolate and three-dimensional structure which processed the thermoplastic sheet by the ultrasonic welding machine and other methods.

Its special three-dimensional structure makes it possible to form the different viscous force, different reinforcing bar intensity and different thickness of cushion. It is widely used in the fields of the reinforcing of railway, strengthening roadbed, protect of field bank, building of earth protection wall, and so on.

2). Geocell Application:

- a. Solid railway roadbed. Geocell Production Line
- b. Highway's soft foundation.
- c. Withstand truck force embankments, retaining wall.
- d. Running shallow river.
- e. Pipeline and the sewer's support structure.
- f. To prevent landslides and load force by the hybrid wall.
- g. To use independent wall ,wharf ,breakwater and so on.
- h. To govern the desert, beaches and the riverbed, banks.

3). Geocell Line Advantages:

- a. Siemens, ABB and etc to assure the machine stable running.
- b. More than 300 Geocell Lines have been delivered to the Customers from the World. Our experience is worth trusted.

Product Parameters

Equipment list

1.single screw extruder 2. Hydraulic mesh changing system

3. Die mold5.Three roller calender6. Roll temperature regulator

7. Transmission and side 8. Haul off machine

9. Length Measurement 10. Cutter 11. Extruder vacuum feeder 12. Driers

Summary

Suitable resin HDPE

Sheet width 400-2000mm(customized)
Sheet thickness 1-5 mm(as requirement)

Capacity 150-1000kg/h

Power supply 380V 3phase 50HZ

Detailed Photos













After Sales

Service

1. After the machines are finished, the seller will test all machinesbefore shipment. If the buyer can not come to test the machine,

we will test the machines and send the sample to buyer.

2...After shipment, the seller will send one or two technicians to the buyer's factory to help the buyer install the machine and train

workers for buyer.

- 3. We will supply all electricity drawing, machine installation drawing.
- 4. When make shipment, we will put some spare electricity parts forfree, like the barrel hearers, thermcouples, breakers, relays,

and other items which is easier broken.



Cingdao Changyue Plastic Machinery Co., Ltd.



0086 13705428176



edward@hualideplast.com



plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QIGNDAO, CHINA