



PP PET Strapping Band Extrusion Line 60Kg/H-80Kg/H Plastic Strap Making Machine

Our Product Introduction

for more products please visit us on plasticextrudersmachine.com

Basic Information

- Place of Origin: Shandong, China
- Brand Name: Changyue
- Packaging Details: Export Film Packing / According To Customer
- Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated (> 1 Pieces)




Product Specification

- Model NO.: SJ90
- Engagement System: Intermeshing
- Screw Channel Structure: Deep Screw
- Exhaust: Exhaust
- Automation: Automatic
- Computerized: Computerized
- Transport Package: Export Packing
- Specification: 9-19 Mm
- Trademark: HLD
- Origin: Qingdao, China
- HS Code: 84772090
- Supply Ability: 60-80 Kg/H
- Type: PP Pet Strap Band
- Plastic Processed: PP
- Product Type: Extrusion Molding Machine



More Images



Product Description

Single-Screw Deep Screw Extrusion Making Machine for Pet PP Strap Band Production Line

PP packing Strap Band Production Line

PP PET strap band production line

PP packing strap tap production line

PP Series Plastic Strapping Band Machine set have several models, such as conventional type, energy-efficient type, double band type, sandwich-type and so on. Users could make choice according to their requirements. This line can produce different specification and models strapping band for manual or auto packer, which can be widely used in mines, department stores, textile, electrical, instrumentation, architecture, medicine industry for packing

Main Technical Parameters

Model	XQ-PP-1	XQ-PP-2
Extruder	65	75
Productivity (kg)	20-35	45-70
Stretching ratio	5-6	5-6
Total installed power (kw)	28	40
Length of production line m	12×2.8×1.6	14×2.8×1.6
Product Spec. (mm)	5-19	5-19
Total weight (T)	3	4.5

иния для производства ленты ПП

Технические характеристики:


Модель экструдера	Ширина/м м	Выходные полосы	Производительность кг/ч
SJ-65	5-19	1-2	60-90
SJ-90	5-19	2-4	150-200
SJ-120	5-19	4-8	300


Данная линия производства использует один или два винта, в соответствии с вашими требованиями, так же используется 100% перерабатываемый материал. Измерительный насос обеспечивает постоянную и стабильную производительность. Двухтактный фильтр с четырьмя станциями может эффективно удалять загрязнения.



QINGDAO HUAYIDE INTERNATIONAL TRADE CO., LTD.









Qingdao Changyue Plastic Machinery Co., Ltd.

☎ 0086 13705428176

✉ edward@hualideplast.com

🌐 plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QINGDAO, CHINA