

# Exhaust PVC Artifical Marble Sheet Making Machine for Exhaust and Plastic Processed

### **Basic Information**

- Place of Origin:
- Brand Name:
- Packaging Details:
- Delivery Time:

| Shandong, China                                       |
|---|
| Changyue  |
| Export Film Packing / According To<br>Customer        |
| 15 Days (1 - 1 Pieces) To Be Negotiated ( > 1 Pieces) |



### **Product Specification**

| <ul> <li>Model NO.:</li> </ul>         | SJ90                                  |
|--|---------------------------------------|
| <ul> <li>Engagement System:</li> </ul> | Full Intermeshing                     |
| Screw Channel Structure:               | Deep Screw                            |
| • Exhaust:                             | Exhaust                               |
| Automation:                            | Automatic                             |
| Computerized:                          | Computerized                          |
| After-Sales Service     Provided:      | Engineers Available To Service Abroad |
| <ul> <li>Transport Package:</li> </ul> | Film                                  |
| <ul> <li>Specification:</li> </ul>     | 35*4*4.5m                             |
| <ul> <li>Trademark:</li> </ul>         | HYD                                   |
| Origin:                                | Shandong, China                       |
| • Type:                                | Sheet Extruder                        |
| <ul> <li>Plastic Processed:</li> </ul> | PVC                                   |
| Product Type:                          | Extrusion Molding Machine             |



### More Images





## **PVC** marble sheet production line

#### **Product description**

PVC artificial marble sheet production line is continuously improved on the basis of requirements adn feedback from our customers and combined with foreign advanced technology. It shows superior performance , high reliability and practicality with its compact structure, advanced configuration and outstanding output in the production of 1-8mm thick, high-qualified PVC artificial marble sheet.

### Machine list

| Item | component                                      | quantity |
|------|--|----------|
| 1    | spring loader or sprial loader                 | 1 set    |
| 2    | SJZ80/156 conical double screw<br>extruder     | 1 set    |
| 3    | mold/die head set                              | 1 set    |
| 4    | three-roller calander with marble film<br>unit | 1 set    |
| 5    | temperature controller of three rollers        | 1 set    |
| 6    | cooling frame with side cutting                | 1 set    |
| 7    | haul off unit                                  | 1 set    |
| 8    | cutting unit                                   | 1 set    |
| 9    | stacker  | 1 set    |

#### **Technical data**

| Item                       | 80/156                                | 92/188                                |  |
|----------------------------|---------------------------------------|---------------------------------------|--|
| applicable thickness range | 2-6mm                                 |                                       |  |
| size of pvc marble sheet   | 1220*2440 or 1220*2800mm              |                                       |  |
| weight of one pvc marble   | 19-25kg/piece                         |                                       |  |
| extruder model             | 80/156 conical twin screw<br>extruder | 92/188 conical twin screw<br>extruder |  |
| main motor power           | 75 kw                                 | 90kw                                  |  |
| output capacity            | about 10tons/24h                      | about 15 tons/24h                     |  |
| length of production line  | 30*3*3.5m                             | 33*3*3.5m                             |  |
|                            |                                       |                                       |  |


#### **Product details**







Our customer & exhibition





Packing

