



Solid WPC Board Production Line 80/156 Foam Board Production Line Customized

Our Product Introduction

for more products please visit us on plasticextrudersmachine.com

Basic Information

- Place of Origin: Shandong, China
- Brand Name: Changyue
- Packaging Details: Export Film Packing / According To Customer
- Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated (> 1 Pieces)




Product Specification

- Model NO.: SJSZ80/156
- Screw Channel Structure: Deep Screw
- Exhaust: Exhaust
- Automation: Automatic
- Computerized: Computerized
- Suitable Material: PVC And WPC
- Foam Board Width: 600 - 2100 Mm
- Foam Board Thickness: 5-25 Mm
- Foam Board Density: 0.3-0.8
- Transport Package: Export Package
- Specification: 80/156
- Trademark: HLD
- Origin: Qingdao, China
- HS Code: 84772090
- Supply Ability: 350 Kq/H



More Images



Product Description

Customized Solid WPC Foam Board Production Line / Making Machine PVC and WPC Material

solid WPC foam board production line / making machine

PVC / WPC foam board production line

PVC foaming board sheet panel making extrusion production line

China WPC (wood plastic composite) foam board production line

Product Description of PVC foaming board production line

Machine introduction:

PVC Crust Foam board extrusion production line consist of the twin screw extruder,mould,calibration table,cutting machine and the loading table.

Usage of PVC skinning foaming board extrusion line:

Used to make construction panel,decoration panel,balustrade,pavement,steps,outdoor tables,wall panel and chairs,pergola,tree bed,etc.

Material:30-60%straw,wood flour,rice chaff mixed with recycled pvc pp pe powder.

Undecomposable,deformation free,fade resistant,insect damage resistant,good fireproof performance,crack resistant,and maintenance free etc.

Technical data:

Model	Extruder	Width	Thickness	Capacity
W-915	SISZ80/156	915mm	<25mm	350kg
W-1220	SISZ80/156	1220mm	<25mm	350kg
W-1560	SJSZ92/188	1560mm	<25mm	500-600kg
W-1830	SJSZ92/188	1830mm	<25mm	500-600kg

HUALIDE серия производственной линии древесно-пластиковых плит, с использованием основного материала: ПВХ+древесный порошок.

Этот продукт подходит для строительных шаблонов или образцов, шкафов, подоконников, плинтусов и других плит ДПК.

Эта производственная линия использует нашу уникальную и оригинальную технологию и формулу ДПК.

Мы можем конструировать различную формулу и параметры продукта согласно различному применению.







Qingdao Changyue Plastic Machinery Co., Ltd.

☎ 0086 13705428176

✉ edward@hualideplast.com

🌐 plasticextrudersmachine.com

