

## PET Fiber Geo Strap Production Line Computerized Plastic Extruders Machine

Our Product Introduction

for more products please visit us on [plasticextrudersmachine.com](http://plasticextrudersmachine.com)

### Basic Information

- Place of Origin: Shandong, China
- Brand Name: Changyue
- Packaging Details: Export Film Packing / According To Customer
- Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated ( > 1 Pieces)




### Product Specification

- Model NO.: 8911
- Assembly Structure: Integral Type Extruder
- Screw: Single-Screw
- Engagement System: Full Intermeshing
- Screw Channel Structure: Deep Screw
- Exhaust: Exhaust
- Automation: Automatic
- Computerized: Computerized
- Transport Package: Film Packing
- Trademark: CHNAGYUE
- Origin: Qingdao, China
- HS Code: 84772090
- Supply Ability: 200 -300 Kg/H
- After-sales Service: Engerneers Available To Serve Oversea
- Warranty: 1 Year



### More Images



## Product Description

High Strength Pet/PE Fiber Geo Strap Production Line/Making Machine with Customization

### high strength PET/PE fiber geo strap production line / making machine Hot Sale PE Synthetic Fiber Strapping Band Production Line

Machine details

#### 1. Introduction of Polyester Strap:

Soft fiber polyester strap adopt polyethylene terephthalate as the main raw material, made from high-strength polyester textile fibers using cross woven yarn avoid cracking, which is currently the world for a new type of environmentally friendly alternative to steel packaging materials.

Polyester strapping has many advantages over conventional, manually applied strapping products.

Would you like to eliminate transport damage to your cargo?

Are you looking for a safe and cost effective alternative to the steel strapping / metal banding you are currently using?

Polyester strapping solutions provide safe and cost effective ways to secure your cargo and prevent it from damage.

#### 2. Fiber strap's material:

PP and pet fiber

Fiber size: 500D 1000D 2000D 3000D 6000D 9000D

#### 3. Character of Polyester Strap

width	loading capacity	roller meters	fiber pieces
13mm	300-488kg	1100m	12
16mm	425-690kg	850m	16
19mm	600-980kg	600m	19-20
25mm	785-1250kg	500m	21-23
32mm	1500-2600kg	230m	23

#### 4. Benefits of Polyester Strapping Band:

As strong as steel

Safe for users & receivers

Cost effective

Does not damage your products

Shock absorbent

High retained tension

High system strengths

Printable with your company name & logo

Light-weight & portable

Chemical resistant

Will not rust or rot

Weather resistant

Re-tensionable

#### 5. Features of Polyester Strapping extruder machine line:

We strictly make the polyester strapping line as to safe standard

Humanized design, High automatic control, easy operation, long life span

Precision manufacturing, low noise, high capacity

High speed reliable production, line speed is 120m/min

#### 6. Main technical parameter of Polyester Strapping extruder machine line

Width of strap	6-32mm
Line speed	120m/min
Total installed power	40kw
Capacity	70-100kg/h











**Our customer &exhibition**



Our machines have been exported to more than 30 countries include Canada, USA, Russia, Bulgaria, Turkey, India, Kuwait, Saudi arab, Nepal, Sri Lanka, Israel, Nigeria, Rawanda, Indonesia, Vietnam, Thailand etc..

### Our workshop



Qingdao Changyue Plastic Machinery Co.,Ltd is a professional plastic extrusion machine manufacturer located in Qingdao city - a beautiful seaside city. We are using the latest technology. Our products include plastic pipe machine, plastic profile machine, plastic sheet machines, plastic board machines, PP PET strap band lines. Geostap band lines.

### Packing

EXPORTED TO MIDDLE EAST,  
AFRICA, SOUTH AMERICA, SOUTH-  
EAST ASIA, RUSSIA AND OTHER





**Qingdao Changyue Plastic Machinery Co., Ltd.**



0086 13705428176



edward@hualideplast.com



plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QINGDAO, CHINA