

150-200Kg/H PVC Wall Panel Production Line PVC Wall Panel Extrusion **Machine**

Basic Information

- Place of Origin:
- Brand Name:
- Packaging Details:
- Delivery Time:

Sha	ndong, China
Cha	ingyue
	ort Film Packing / According To tomer
	Days (1 - 1 Pieces) To Be Negotiated (> eces)



Product Specification

- Model NO .:
- Plastic Processed:
- Product Type:
- Feeding Mode:
- Assembly Structure:
- Screw:
- Engagement System:
- Screw Channel Structure:
- Exhaust:
- Automation:
- Computerized:
- After-Sales Service Provided:
- Transport Package:
- Specification:

PVC

SJSZ55

- Profile Extrusion Molding Machine
- Multiple Feed
- Integral Type Extruder
 - Twin-Screw
 - Full Intermeshing
 - Deep Screw Don't Exhaust

Film

20*1.5*3.5m

- Automatic
- - Computerized Engineers Available To Service Abroad

More Images









Our Product Introduction

Product Description

30-Day Return Refunds for SJSZ55 PVC Ceiling Wall Panel Production Line in Market WPC ceiling wall panel production line/pvc wall panel making machine

Product description

This PVC/WPC ceiling wall panel making machine adopts conical twin screw sepcially used for the extruder,matching with different standard of profile die and auxiliary device, it is used to extrude PVC ceiling panel, PVC wall panel, PVC trunking profile and other PVC profile. It adopts vacuum calibrating, online film transferring machine, auto haul-off and cutting device, and material discharge. Features of the production line, automatic temperature controlling, stable performance, and easy operation. **Machine list**

ltem	component	quantity	
1	double screw extruder	1 set	
2	mould	as your require	
3	vacuum calibration tank	1 set	
4	haul off machine	1 set	
5	cutter	1 set	
6	stacker	1 set	

Technical data

Model	SJSZ51	SJSZ65	SJSZ80
screw diameter(mm)	51/105	65/132	80/156
screw rotation speed(r/min)	1-30	1-34.7	1-36.9
effective length of screw(mm)	1050	1430	1800
main motor power(kw)	22	37	55
barrel heating power(kw)	18	24	36
capacity(kg/h)	110	250	380
central height(mm)		1000	
net weight(kg)	3200	5000	6500

Product details









Our customer & exhibition





Packing

