

20-63mm PVC Single Wall Corrugated Pipe Production Line for Exhaust **System Integration**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Packaging Details:
- Delivery Time:
- Shandong, China Changyue ISO9001 Export Film Packing / According To Customer
- 15 Days (1 1 Pieces) To Be Negotiated (> 1 Pieces)



Product Specification

- Model NO .:
- SJ65/33 • Engagement System: Full Intermeshing Screw Channel Structure: Deep Screw Exhaust: Exhaust • Automation: Automatic • Computerized: Computerized Film Transport Package: Specification: 20-63mm • Trademark: HYD Shandong, China

Pipe Extruder

One Feed

Extrusion Molding Machine

Separate Type Extruder

ΡE

- Origin: • Type:
- Plastic Processed:
- Product Type:
- Feeding Mode:
- Assembly Structure:



More Images





Our Product Introduction

PE PVC single wall corrugated pipe production line

Prouduct description

PVC PP PE single wall corrugated pipes produced by our single wall corrugated pipe machine have many features such as high intensity good flexibility, high temperature resistance, resistant to corrosion and abrasion etc.

They has large market which are widely used in the fields of auto wire, electric thread-passing pipes, protective pipes of lamps and lanterns wire, circuit of machine tool, tubes of air conditioner and washing machine and so on.

Technical parameter

pipe diameter range(mm)	4.5-9mm	9-32mm	32-50mm
extruder model	SJ-30	SJ-45	SJ-65
motor power(kw)	4	11	18.5
capacity(kg/h)	10	40	80
cooling way	water or air	water or air	water or air
production speed(m/min)	6-10	8-15	10-17

Machine details





Our customer&exhibition





Packing

