

ISO9001 2008 Certified Single-screw PPR Pipe Production Line for Hot Cold Water Supply

Basic Information


- Place of Origin:
- Brand Name:
- Packaging Details:
- Delivery Time:

Shandong, China
Changyue
Export Film Packing / According To Customer
15 Days (1 - 1 Pieces) To Be Negotiated (> 1 Pieces)




Product Specification

SJ 65 • Model NO .: Condition: New • Pipe Diameter: 20-63 Mm • Extruder Size: Sj 65/30 • Total Power Installation: 80 Kw • Transport Package: Export Package • Specification: 20-63 Mm HLD Trademark: • Origin: Qingdao, China 84772090 • HS Code: 200 -300 Kg/H • Supply Ability: Product Type: PPR Pipe Screw No.: Single-screw Automation: Automatic



More Images

• Computerized:





Computerized





Product Description

China good quality hot cold water supply PPR pipe extrusion machine / production line

glass reinforced hot cold water supply plastic ppr pipe production line

glass fiber reinforced three layer ppr pipe production line / making machine

high speed PPR pipe extrusion line

Multiple Layer PPR Hot / Cold Water Supply Pipe Production Line

PPR PIPE PRODUCTION LINE

ppr HOT COLD WATER SUPPLY PIPE PRODUCTION LINE

Brief introduction

The PERT,PP-R pipe production line consists of hopper dryer, single-screw extruder, die head, co-extruder,vacuum calibration tank, spray cooling tank,haul-off, printer, cutter and stacker. For Producing three layer glass fiber reinforced PP-R pipe, one special extruder is needed for fiberglass layer extrusion.

Application:

Drinking water transportation Cold water and hot water transportation underfloor heating water pipe solar heating water pipe

Technical parameters

Model	PP-R-63	PP-R-110	PP-R-160
Pipe range/mm	Ф20-63	Φ20-110	Φ50-160
Model	SJ-65 SJ-25	SJ-75 SJ-25	SJ-90 SJ-25
Capacity kg/h	120	180	250
Installed power /kw	94	175	215
Total length/m	35	42	45





