



Single-Screw Automatic-Controlled HDPE Pipe Extrusion Machine SJ65/33 for Market

Basic Information

Place of Origin: Shandong, China
Brand Name: Changyue
Certification: ISO9001

Packaging Details: Export Film Packing / According To

Customer

• Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated (>

1 Pieces)



Product Specification

Model NO.: SJ65/33

Engagement System: Full Intermeshing
Screw Channel Structure: Deep Screw
Exhaust: Exhaust
Automation: Automatic
Computerized: Computerized
Transport Package: Film

Specification: 20-63mmTrademark: HYD

Origin: Shandong, ChinaType: Pipe Extruder

Plastic Processed:

Product Type: Extrusion Molding Machine

• Feeding Mode: One Feed

Assembly Structure: Separate Type Extruder



More Images





HDPE pipe production line

Prouduct description

PE pipe extrusion machine is mainly used for producing agricultural irrigation pipes, drainage pipes, gas pipes, water supplying pipes, cable conduit pipes etc. The pipe has some excellent features such as heating resistant, etc. our extrusion line is designed with high efficiency extruder and equipped with reducer which is high speed and low noise, Gravimetric dosing unit and ultrasonic thickness indicator can be assembled according to customer's demand to ascend the priecise of the pipes. Turn key solution can be provided, like laser printer, crusher, shredder, water chiller, air compressor etc. to achieve high-grade and automatic tube production.

Process Flow:

Raw material+master batches-Mixing-Vacuum feeder-Plastic hopper drier-Single screw extruder- Co-extruder for color string&multi layers-Mould-Vacuum calibration tank-Spray cooling water tank-Haul off-No dust cutter-double/single disc winding/stacker-Final product inspecting&packing

Technical parameter

| | | _ | | 90-315 | | 250-630 | 400-800 |
|-----------------------|-------------|---------|---------|---------|---------|---------|----------|
| extruder model | SJ65/3 3 | SJ65/33 | SJ60/38 | SJ75/38 | SJ75/38 | SJ90/38 | SJ120/38 |
| extruder power(kw) | 45 | 75 | 110 | 160 | 160 | 280 | 315 |
| max.output(kg/h) | 130 | 220 | 410 | 580 | 580 | 900 | 1150 |

Machine details









Our customer&exhibition







Packing

EXPORTED TO MIDDLE EAST, AFRICA, SOUTH AMERICA, SOUTH-EAST ASIA, RUSSIA AND OTHER

















Cingdao Changyue Plastic Machinery Co., Ltd.





edward@hualideplast.com



plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QIGNDAO, CHINA