



Competitive 50-160 mm PVC Pipe Extrusion Machine for Water Supply Production Line

Our Product Introduction

for more products please visit us on plasticextrudersmachine.com

Basic Information

- Place of Origin: Shandong, China
- Brand Name: Changyue
- Packaging Details: Export Film Packing / According To Customer
- Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated (> 1 Pieces)




Product Specification

- Model NO.: SJSZ65/132
- Condition: New
- Transport Package: Export Package
- Specification: 50-160 Mm
- Trademark: HLD
- Origin: Qingdao, China
- HS Code: 84772090
- Supply Ability: 200 -300 Kg/H
- Product Type: PVC Pipe
- Screw No.: Double-screw
- Automation: Automatic
- Computerized: Computerized
- Certification: CE, ISO9001:2008
- Customized: Customized
- Customization: Available | Customized Request



More Images



Product Description

PVC pipe extrusion machine / extrusion line
 turnkey PVC pipe extrusion production line
 turnkey PVC pipe extrusion production line
 complete PVC pipe extrusion production line extrusion line for pvc water supply pipe
 China best PVC pipe extrusion production line
 full automatic PVC pipe production line
 UPVC drainage pipe extrusion line
 automatic pvc pipe extrusion machine/production line
 good quality UPVC pipe extrusion machine / production line

We supply turnkey PVC pipe extrusion project,
 include hot cold mixer, extrusion machine, bellling machine, laser printer, slotting machine, threading machine

Main Features:

Specified screw design for better material plasticizing&mixing effect and lower cost formula.
 Higher density and stronger mechanical properties of the pipe as a result of large compression ratio of mold design.
 More stable and reliable hauling, no deformation, multi-caterpillar structure of haul-off unit, suitable for different size range.
 Planetary cutting with chambering function for stable&reliable cutting and precise length-counting.

machine component:


1. material auto loader
2. SJSZ65/132 twin conical screw extruder
3. mould
4. vacuum water tank
5. haul off
6. cutter
7. stacker



Main technical parameters

Model	Pipe range/mm	Capacity kg/h	Maximum linear velocity (m/min)	Main motor power /kw	Total length/m
SJSZ-65/132	50-110	120-250	6	37	22
SJSZ-80/156	110-250	250-400	5	75	23
SJSZ-92/188	315-630	400-700	1.5	110	32


PVC Double-Pipe Production Line

Model	Pipe Diameter	Output	Max Speed	Motor	Total Length
SJSZ-65/132	50-75mm	250-350 kg/h	6m/min*2	30kw	22m
SJSZ-80/156	50-110mm	500-750kg/h	8m/min*2	55kw	23m













Qingdao Changyue Plastic Machinery Co., Ltd.

☎ 0086 13705428176

✉ edward@hualideplast.com

🌐 plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QINGDAO, CHINA