

PVC Pipe Production Line for Plastic Water Supply and Drainage Suitable Material PVC

Basic Information

- Place of Origin:
- Brand Name:
- Packaging Details:
- Delivery Time:

Shandong, China	
Changyue	
Export Film Packing / According To Customer	
15 Days (1 - 1 Pieces) To Be Negotiated 1 Pieces)	(>



Product Specification

- Model NO.:
- Condition:
- Suitable Material:
- Pipe Diameter:
- Total Power:
- Extruder Size:
- Transport Package:
- Specification:
- Trademark:
- Origin:
- HS Code:
- Supply Ability:
- Product Type:
- Screw No.:
- Automation:




Automatic

SJSZ65/132



More Images









Product Description

plastic water supply / drainage PVC pipe production line

good quality China U-PVC drainage pipe extrusion making machine

good quality PVC water supply pipe making machine / production line

China best PVC pipe extrusion production line

Main Features:

Specified screw design for better material plasticizing&mixing effect and lower cost formula.

Higher density and stronger mechanical properties of the pipe as a result of large compression ratio of mold design. More stable and reliable hauling, no deformation, multi-caterpillar structure of haul-off unit, suitable for different size range. Planetary cutting with chambering function for stable&reliable cutting and precise length-counting.

machine component:

- 1. material auto loader
- 2. SJSZ65/132 twin conical screw extruder
- 3. mould
- 4. vacuum water tank
- 5. haul off
- 6. cutter
- 7. stacker

Main technical parameters

Pipe range/mm		Maximum linear velocity (m/min)	Main motor power /kw	Total length/m				
50-110	120-250	6	37	22				
110-250	250-400	5	75	23				
315-630	400-700	1.5	110	32				
PVC Double-Pipe Production Line								
	50-110 110-250 815-630	Dipe range/mm Capacity kg/h 50-110 120-250 110-250 250-400 815-630 400-700 Production Line	Pipe range/mm Capacity kg/h (m/min) 50-110 120-250 6 110-250 250-400 5 815-630 400-700 1.5 Production Line	Pipe range/mm Capacity kg/h (m/min) Main motor power /kw 50-110 120-250 6 37 110-250 250-400 5 75 815-630 400-700 1.5 110 Production Line				

Model	Pipe Diameter	Output	Max Speed	Motor	Total Length
SJSZ-65/132	50-75mm	250-350 kg/h	6m/min*2	30kw	22m
SJSZ-80/156	50-110mm	500-750kg/h	8m/min*2	55kw	23m







