



Electricity Conduit PVC Pipe Making Machine with Double-screw 65/132 Extruder Size

Our Product Introduction

for more products please visit us on plasticextrudersmachine.com

Basic Information

- Place of Origin: Shandong, China
- Brand Name: Changyue
- Certification: CE, ISO9001:2008
- Packaging Details: Export Film Packing / According To Customer
- Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated (> 1 Pieces)



Product Specification

- Model NO.: 65/132
- Automation: Automatic
- Computerized: Computerized
- Customized: Customized
- Condition: New
- After-sales Service: Site Installation
- Extruder Size: 65/132
- Cavity: 2 Cavity / 4 Cavity
- Pipe Diameter: 16-40 Mm
- Transport Package: Export Package
- Specification: 15-40 Mm
- Trademark: Changyue
- Origin: Qingdao, China
- HS Code: 84772090
- Supply Ability: 200 Kq/H



More Images



Product Description

Product Description

1. PVC Electric Conduit Pipe Making Machine/extrusion line is our main product and have been exported to many different countries. Under our technical supports and formula of material helping, many customers save their cost and take a good occupancy in their local market.
2. PVC Electric Conduit Pipe Making Machine/extrusion line is mainly used in the manufacture of plastic PVC pipes with various diameters and wall thickness used in the industries such as agricultural and constructional plumbing, cable laying, drain water etc
3. PVC Electric Conduit Pipe Making Machine/extrusion line is composed of conical twin-screw extruder, vacuum calibration tank, haul-off, cutter and stake etc. The extruder and haul-off adopt imported AC frequency control device, vacuum pump and haul-off motors adopt high-quality products.

Characteristics of PVC Electric Conduit Pipe Making Machine/extrusion line:

1. one die double out or four out, it greatly increase the productivity, meantime, it reduces the cost of machine, power consumption, save space of workshop
2. Speed of extruding, haul off machine are controlled by variable frequency inverter, stepless adjusting speed and save power consumption
3. Water cooling tank are made of high quality 304 stainless steel, no rusty, longer lifetime.
4. Temperature controlled by intelligent temperature controller, high precision, automatic control, save labor and easy to operate.

PVC Electric Conduit Pipe Making Machine/extrusion line:

Product Parameters

PVC two/four cavity conduit Pipe Production Line

Model	Pipe Diameter	Output	Max Speed	Motor	Total Length
SJSZ-51/105	16-50 mm	80-120 kg/h	6 m / min*2	22 kw	22m
SJSZ-65/132	50 - 110 mm	200-300kg/h	8m/min*2	537kw	23m

Detailed Photos





Certifications



After Sales

Service

1. After the machines are finished, the seller will test all machines before shipment. If the buyer can not come to test the machine, we will test the machines and send the sample to buyer.
2. After shipment, the seller will send one or two technicians to the buyer's factory to help the buyer install the machine and train workers for buyer.
3. We will supply all electricity drawing, machine installation drawing.
4. When make shipment, we will put some spare electricity parts for free, like the barrel heaters, thermocouples, breakers, relays, and other items which is easier broken.



Qingdao Changyue Plastic Machinery co.,ltd

Mr. Edward Yang (G.M.)



- Whatsapp / Wechat: 0086 13705428176
- Add: No.678 Matie Road, Jiaoxi Industrial Zone, Jiaozhou city, Qingdao, China post code: 266300
- edward@hualideplast.com
- www.changyueextruder.com



Qingdao Changyue Plastic Machinery Co., Ltd.



0086 13705428176



edward@hualideplast.com



plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QINGDAO, CHINA