



PVC UPVC Drainage Water Supply Pipe Extrusion Line Making Machine with Customization

Our Product Introduction

for more products please visit us on plasticextrudersmachine.com

Basic Information

- Place of Origin: Shandong, China
- Brand Name: Changyue
- Certification: CE, ISO9001:2008
- Packaging Details: Export Film Packing / According To Customer
- Delivery Time: 15 Days (1 - 1 Pieces) To Be Negotiated (> 1 Pieces)



changyuemachine.en.made-in-china.com

Product Specification

- Model NO.: 65/132
- Automation: Automatic
- Computerized: Computerized
- Customized: Customized
- Condition: New
- After-sales Service: One Year
- Suitable Material: PVC
- Pipe Diameter: 50-160 Mm
- Total Power: About 90 Kw
- Extruder Size: 65/132 Or 80/156
- Loading Port: Qingdao Port, China
- Transport Package: Export Package
- Specification: 50-200 Mm
- Trademark: Changyue
- Origin: Qingdao, China



changyuemachine.en.made-in-china.com

More Images



changyuemachine.en.made-in-china.com



changyuemachine.en.made-in-china.com



changyuemachine.en.made-in-china.com



changyuemachine.en.made-in-china.com

Product Description

Product Description

water supply / drainage plastic pvc pipe making machine

plastic water supply / drainage PVC pipe production line

good quality China U-PVC drainage pipe extrusion making machine

good quality PVC water supply pipe making machine / production line

China best PVC pipe extrusion production line

Main Features:

1. Specified screw design for better material plasticizing&mixing effect and lower cost formula.
2. Higher density and stronger mechanical properties of the pipe as a result of large compression ratio of mold design.
3. More stable and reliable hauling, no deformation, multi-caterpillar structure of haul-off unit, suitable for different size range.
4. Planetary cutting with chambering function for stable&reliable cutting and precise length-counting.

machine component:

1. material auto loader
2. SJSZ65/132 twin conical screw extruder
3. mould
4. vacuum water tank
5. haul off
6. cutter
7. stacker

Product Parameters


Main technical parameters



Model	Pipe range/mm	Capacity kg/h	Maximum linear velocity (m/min)	Main motor power /kw	Total length/m
SJSZ-65/132	50-110	120-250	6	37	22
SJSZ-80/156	110-250	250-400	5	75	23
SJSZ-92/188	315-630	400-700	1.5	110	32

PVC Double-Pipe Production Line

Model	Pipe Diameter	Output	Max Speed	Motor	Total Length
SJSZ-65/132	50-75mm	250-350 kg/h	6m/min*2	30kw	22m
SJSZ-80/156	50-110mm	500-750kg/h	8m/min*2	55kw	23m

Detailed Photos







Qingdao Changyue Plastic Machinery co.,ltd

Mr. Edward Yang (G.M.)



Whatsapp / Wechat: 0086 13705428176



Add: No.678 Matie Road, Jiaoxi Industrial Zone,
Jiaozhou city, Qingdao, China post code: 266300



edward@hualideplast. com



www.changyueextruder.com



Qingdao Changyue Plastic Machinery Co., Ltd.



0086 13705428176



edward@hualideplast.com



plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QINGDAO, CHINA