

Separate Type Extruder Assembly Structure PVC Soft Hose Pipe Production Line with Exhaust

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Packaging Details:
- Delivery Time:
- Shandong, China Changyue ISO9001 Export Film Packing / According To Customer 15 Days (1 - 1 Pieces) To Be Negotiated (> 1 Pieces)



Product Specification

- Model NO.:
- Engagement System: Full Intermeshing • Screw Channel Structure: Deep Screw Exhaust • Exhaust: • Automation: Automatic Computerized • Computerized: Film • Transport Package: • Specification: 20*1.5*2.5m • Trademark: HYD Shandong, China • Origin: Pipe Extruder • Type: PVC • Plastic Processed: • Product Type: Extrusion Molding Machine • Feeding Mode: One Feed Assembly Structure: Separate Type Extruder

65/33



More Images





PVC fibre reinforced pipe making machine/PVC soft pipe line

Description of PVC fibre reinforced pipe makign machine

This line is designed to produce PVC fibre reinforced hose, the wall of which is three layers, outer and inner layer are soft pvc hose ,middle layer is terylene fibre network, which has good chemical and physical propery. It is mainly used for the transportation of high pressure or corrosive gas, and is widely used in the machinery; coal mine, oil, chemical, agriculture irrigation, gas and building.


Main parameter of PVC pipe making machine

extruders	SJ45/30	SJ55/30	SJ65/30	SJ75/30
diameter range(mm)	6-16	8-25	12-50	20-50
output(kg/h)	20-40	30-60	40-80	60-110
installation power(kw)	35	42	50	65

Machine details








Our customer&exhibition





Packing



SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QIGNDAO, CHINA