

# Automatic PVC UPVC Water Drainage Pipe Extruder Machine for Customized Specification

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Packaging Details:
- Delivery Time:
- Shandong, China Changyue CE, ISO9001:2008 Export Film Packing / According To
- Customer 15 Days (1 - 1 Pieces) To Be Negotiated ( > 1 Pieces)



## **Product Specification**

- Model NO.:
- Automation:
- Computerized:
- Customized:
- Condition:
- After-sales Service:
- Transport Package:
- Specification:
- Trademark:
- Origin:
- HS Code:
- Supply Ability:
- Package Size:
- Package Gross Weight:
- Warranty:



- Changyue
- Qingdao, China

65/132

Automatic

- 84772090
- 250 Kg/H
- 2000
  - 2000.00cm \* 250.00cm \* 350.00cm 10000.000kg
- One Year



## More Images



#### **Product Description**

#### China best PVC pipe extrusion production line

#### Main Features:

Specified screw design for better material plasticizing&mixing effect and lower cost formula.

Higher density and stronger mechanical properties of the pipe as a result of large compression ratio of mold design. More stable and reliable hauling, no deformation, multi-caterpillar structure of haul-off unit, suitable for different size range. Planetary cutting with chambering function for stable&reliable cutting and precise length-counting.

#### machine component:

- 1. material auto loader
- 2. SJSZ65/132 twin conical screw extruder
- 3. mould
- 4. vacuum water tank
- 5. haul off
- 6. cutter
- 7. stacker

Product Parameters

Main technical p	parameters							
Model	Pipe range/mm	Capacity kg/h	Maximum linear veloc (m/min)	ity	Main motor	power /kw		Total length/m
SJSZ-65/132	50-110	120-250	6		37		22	
SJSZ-80/156	110-250	250-400	5		75			23
SJSZ-92/188	315-630	400-700	1.5		110			32
PVC Double-Pip	e Production Line							
Model	Pipe Diamete	r Outj	out	Max Spee	d	Motor	Tota	l Length
SJSZ-65/132	50-75mm	250	-350 kg/h	6m/min*2		30kw	22m	
SJSZ-80/156	50-110mm	500	-750kg/h	8m/min*2		55kw	23m	

## **Detailed Photos**



spiral type auto loader

SJSZ 65/132 twin conical screw extruder.

37 kw main motor

special screw designed for PVC pipe

high output extruder

### special PVC pipe mould

cups & nozzal & stainless steel sizer

size: 50-110 mm, 75-160 mm 110-200 mm 160-315 mm





vacuum tank length: 6 m material of tank: stainless steel 304 vacuum pump: 5.5 kw





Certifications

CERTIFIC	TIFICATE ATTESTATION ATTESTATION CATE OF MACHINERY DIRECTIVE of the scoreport					
2006/42/EC Machin Company Name	rery Directive has been taken as references for these processes : Qingdao Changyue Hastic Machinery Co., Ud.					
Company Address	: No. 678 Matte Road, Jaathou city, Gingdao, Shandong, China					
Related Directives and Annex	: Machinery Directive 2006/42/EC					
Related Standards	: EN ISO 12100:2010, EN 1114-1:2011, EN 40204-1:2018					
Product Name	: Plastic Extrusion Equipment					
Report No and Date	: PEETCF0616-MD					
Product Brand/Model/Type	: \$365.5.175.5190.5.1120.5.150.5.1200.515251/105.5.15255/110. 5.15255/120.5.15265/132.5.15280/1156.515280/173.5.15192/188					
Certificate Number Initial Assessment Date Registration Date	: M.2021.206.C65551 180.05.2021 21.06.2021 UDEW Titemation Certification					
Relissue Date/No Expiry Date he validy of he certificate can be checked can any be used under the separability of Contends to all the served Cleacker. No cert Auding Tacking Centre Industria and Tack the constant fee main served in the centres	21.04.4721 Audite Straining Shahe houses 2004 2004 Control from them are to fill through another three to compare of a 15 control from the Control shahe of the top the shahe to be top the Control shahe of the three top the shahe of the top the Control shahe of the three top the shahe of the top the Control shahe of the three top the shahe of the top the Control shahe of the three top the shahe of the top the Control shahe of the three top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the shahe of the top the Control shahe of the top the top the Control shahe of the Contro					





#### Our

Advantages

1. After the machines are finished, the seller will test all machinesbefore shipment. If the buyer can not come to test the machine,

we will test the machines and send the sample to buyer.

2..After shipment, the seller will send one or two technicians to the buyer's factory to help the buyer install the machine and train

workers for buyer.

3. We will supply all electricity drawing, machine installation drawing.

4. When make shipment, we will put some spare electricity parts forfree, like the barrel hearers, thermcouples, breakers, relays,

and other items which is easier broken.

