



PE PET Fiber Strapping Band Production Geo Extrusion Machine with Good **Weather Resistance**

Basic Information

. Place of Origin: **CHINA CHANGYUE** . Brand Name:

CE · Certification: SJ90 Model Number: • Minimum Order Quantity: 1

• Price: USD 35000- USD 40000

 Packaging Details: film • Delivery Time: 45 • Payment Terms: L/C, T/T



Product Specification

 After Sales Service: Engineer Overseas Service

Strap Strength: 30-100 KN

Highlight: **Good Weather Resistance Geo Extrusion** Machine

, PE Geo Extrusion Machine, PET Geo Extrusion Machine



More Images





Product Description

Geo Strap Band Production Line Technical parameter:

Width	6-32mm,50-100mm
	120m/min
Energy consumption	40kw
Output	100-200kg/h

44

Product description:

PE PET Fiber strapping band extrusion machine: PE PET fiber packing belt (polyester fiber flexible packing belt) is made up of many strands of polyester fiber, Is a safe, fast and economic packing strap. It has the characteristics of high strength, good weather resistance, safe use, high efficiency and environmental protection, etc.. Widely used in packing, goods transport goods bundled, delicate surface coating on the surface of goods packing, goods transport supplies fastening and binding, the oil and gas pipeline reinforcement, composite reinforcement, pressure vessel construction, civil engineering reinforcement etc.. In particular, it is simple and easy to use, the use of a relatively simple belt buckle, without any energy (such as: power, compressed air) without any auxiliary tools can be tied, the applicable environment is very broad.







Cingdao Changyue Plastic Machinery Co., Ltd.



edward@hualideplast.com plasticextrudersmachine.com

SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QIGNDAO, CHINA