

## Customizable Geo Extrusion Machine for Strap Band Manufacturing 6-32mm and 50-100mm Width Solutions

for more products please visit us on plasticextrudersmachine.com

## Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:

CHINA

CE

SJ90

film

45

L/C,T/T

CHANGYUE

- Minimum Order Quantity: 1
- Price: Packaging Details:
- Delivery Time:
- Payment Terms:



#### **Product Specification**

- After Sales Service:Strap Strength:
- Engineer Overseas Service 30-100 KN

USD 35000- USD 40000



#### More Images



### **Product Description**

# Geo Strap Band Production Line Technical parameter:

 Width
 6-32mm,50-100mm

 Linear speed
 120m/min

 Energy consumption
 40kw

 Output
 100-200kg/h

#### Product description:

223

PE PET Fiber strapping band extrusion machine: PE PET fiber packing belt (polyester fiber flexible packing belt) is made up of many strands of polyester fiber, Is a safe, fast and economic packing strap. It has the characteristics of high strength, good weather resistance, safe use, high efficiency and environmental protection, etc.. Widely used in packing, goods transport goods bundled, delicate surface coating on the surface of goods packing, goods transport supplies fastening and binding, the oil and gas pipeline reinforcement, composite reinforcement, pressure vessel construction, civil engineering reinforcement etc.. In particular, it is simple and easy to use, the use of a relatively simple belt buckle, without any energy (such as: power, compressed air) without any auxiliary tools can be tied, the applicable environment is very broad.





《 目岳塑机 Qingdao Changyue Plastic Machinery Co., Ltd.