Our Produc

Customizable Geo Extrusion Machine For High Performance Strap Band Manufacturing

Basic Information

3 昌岳塑机

Place of Origin: CHINABrand Name: CHANGYUE

Certification: CEModel Number: SJ90Minimum Order Quantity: 1

• Price: USD 35000- USD 40000

Packaging Details: film
Delivery Time: 45
Payment Terms: L/C,T/T



Product Specification

After Sales Service: Engineer Overseas Service

• Strap Strength: 30-100 KN

Highlight: Customizable Geo Extrusion Machine,
 Strap Band Geo Extrusion Machine,
 High Performance geo extrusion machine



More Images











Product Description

Geo Strap Band Production Line Technical parameter:

Width	6-32mm,50-100mm
Linear speed	120m/min
Energy consumption	
Output	100-200kg/h

בב:

Product description:

PE PET Fiber strapping band extrusion machine: PE PET fiber packing belt (polyester fiber flexible packing belt) is made up of many strands of polyester fiber, Is a safe, fast and economic packing bert (polyester inber lexible packing bert) is made up of many strands of polyester fiber, Is a safe, fast and economic packing strap. It has the characteristics of high strength, good weather resistance, safe use, high efficiency and environmental protection, etc.. Widely used in packing, goods transport goods bundled, delicate surface coating on the surface of goods packing, goods transport supplies fastening and binding, the oil and gas pipeline reinforcement, composite reinforcement, pressure vessel construction, civil engineering reinforcement etc.. In particular, it is simple and easy to use, the use of a relatively simple belt buckle, without any energy (such as: power, compressed air) without any auxiliary tools can be tied, the applicable environment is very broad.





SOUTH LONGYI ROAD, NO.2 JIAOXI INDUSTRIAL ZONE, JIAOZHOU CITY, QIGNDAO, CHINA